



Shipyard Honors




Model Comparison Spec Sheet




XPRESSO Series : A Spirited Double-Shot of Performance, Efficiency, and Stability

The first model in NISI's XPRESSO multihull series—NISI 50 XPRESSO—represents the culmination of decades of development and design in the power multihull market: a high speed multihull purposely designed and developed by people with a unique combination of knowledge and skills. This groundbreaking model is available in both the quite-loaded X50 and the fully-loaded GTX50 versions.



NISI X50



NISI GTX50

FB Versions Only

LOA	50' 3"	54'
LWL	50'	50'
Beam	23' 9"	23' 9"
Draft - Max	2' 10"	4' 5"
Draft - Light	2' 6"	3' 2"
Beach grounding protection	Yes	Yes
Air Draft - w/hardtop	22'	22'
Air Draft - w/fold down	15'	15'
Displacement - Empty	41,800 gal	46,200 gal
Displacement - Half	46,200 gal	50,600 gal


Model Comparison Spec Sheet



Construction		
Hull Bottom	Infused - CoreCell	Infused - CoreCell
Double Bottom	Yes	Yes
Hull Sides	Infused - CoreCell	Infused - CoreCell
Keel	Yes - Solid	Yes - Solid
Stringers	Infused - CoreCell	Infused - CoreCell
Superstructure	Infused - CoreCell	Infused - CoreCell
Deck	Infused - CoreCell	Infused - CoreCell
Cabin Partitions	Infused - CoreCell	Infused - CoreCell
Kevlar E/R section	Included	Included
Exterior Furnishings	Infused - CoreCell	Infused - CoreCell
Build Standard	CE/RINA	CE/RINA
Build Option	CE/RINA Certificate	CE/RINA Certificate

Performance		
Engine - Std	Cummins 480hp	Cummins 550hp
Engine Max	Cummins 550hp	N/A
Pod propulsion	Yes	Yes
Hydro-Foil	Optional	Included
Fuel Capacity	600 gal	600 gal
Top Speed	26 kts	32 kts
Cruise	23 kts	28 kts
Fuel Consumption/hr @ 25kt	38 gal	33 gal
Range @ 11kt	990 kts	949 kts
Range @ 25kt Cruise	414 kts	482 kts
Range @ 31kt Hi-Cruise	N/A	528 kts

Model Comparison Spec Sheet



Guest Basics

Fresh Water Capacity	200 gal	200 gal
Watermaker	Optional, 170gpd	Optional, 170gpd
Black Water Capacity	200 gal	200 gal
Max Strms	4	4
Max Guests	8	8
Max Crew Strms	1	1
Max Crew Berths	2	2

Electrical

Generator Std	Onan 11.5kW	Onan 13.5kW
Generator Upgrade	Onan 13.5kW	Not required
Lithium "Silent Mode" system	Optional	Optional
Smart Power Management	Optional	Optional
Shore Power	50amp/230VAC	50amp/230VAC
Glendinning Cablemaste	Included	Included
Inverter	Included-2.5kW	Included-2.5kW
Lighting Interior	LED	LED
Lighting Exterior	LED	LED
Underwater Lights	OceanLED A6	OceanLED A12

Model Comparison Spec Sheet



Comfort

Salon 360-degree open views	Yes	Yes
Pro pilothouse helm fully equipped	Yes	Yes
Sidedecks	Yes - Wide	Yes - Wide
Foredeck sunbed	Yes	Yes
Forepeak lounge hammocks	Yes	Yes
Full-size seating dining table, aftdeck	Yes - 8ppl	Yes - 8ppl
Full-size seating dining, flybridge	Yes - 10ppl	Yes - 10ppl
Flybridge galley and bar	Yes - Custom	Yes - Custom
Beach/Tender quick-launch platform	Optional	Included
Max Tender Size	Optional	14'
Built-in Dive Compressor	Optional	Optional
BBQ	Gas - 36" (optional)	Gas - 36"
Stabilization Options	Humphrees 4-axis	Humphrees 4-axis
	N/A	Sonicfoil Dampener
Laundry	Stacked-Separate	Stacked-Separate

Exterior

Hull Gelcoat	Std - Color	Std - Color
Hull Paint, color	Optional	Optional
Hull Metallic Paint	Optional	Optional
Hardtop	Optional	Optional
Hardtop- Carbon Fiber	Optional	Included
Salon doors- full open	Included	Included

Special Features

Premium Interior	Included	Included
Superyacht Noise Control*	Optional	Included
Global 50/60hz power supply	Optional	Optional
Audiophile A/V system w/movie	Optional	Optional